







BI-ENERGY


 Diesel
18,2 kW

 Inverter actuated
Single-phase
Electric motor
230 VAC - 3 kW
or
Three-phase
Electric motor
400 VAC - 5,5 kW




14 m	15 m	8,5 m	L1	L2	W1	W2	W3
230 kg	120 kg	230/120 kg	5535 mm	7160 mm	5260 mm	3975 mm	2680 mm



TSJ 35.1/C  35 m 15 m 230 kg 660° 180x70 cm 90°+80° 2,68-5,26 m 23% 36% 1,8 km/h 7100 kg 47 kN 2,44 kN/m² 5,06 kN/m²

Available power options:

 **ECO** (AC+BATTERY)

 **HYBRID²** (DIESEL+AC+BATTERY)

The technical data may deviate +/- 3% from the specified values.

Characteristics and technical data are informative only and subjected to change without notice.

Palazzani Industrie S.p.A.

Via del Pavione, 4 - 25050 - Paderno F.C. (BS) - Italy

Tel. (+39) 0306857073

info@palazzani.it

www.palazzani.it



NC 920 A 24



ECO









Inverter actuated
Electric motor
16 kW




Lithium iron
phosphate battery
LiFePO4
48 V - 330 Ah



Type 2 plug charge



14 m	15 m	8,5 m	L1	L2	W1	W2	W3
230 kg	120 kg	230/120 kg	5535 mm	7160 mm	5260 mm	3975 mm	2680 mm



TSJ 35.1/C 35 m 15 m 230 kg 660° 180x70 cm 90°+80° 2,68-5,26 m 23% 36% 1,8 km/h 7235 kg 47 kN 2,49 kN/m2 5,15 kN/m2

Available power options:

- BI-ENERGY** (DIESEL+AC)
- HYBRID²** (DIESEL+AC+BATTERY)

The technical data may deviate +/- 3% from the specified values.

Characteristics and technical data are informative only and subjected to change without notice.

Palazzani Industrie S.p.A.

Via del Pavione, 4 - 25050 - Paderno F.C. (BS) - Italy

Tel. (+39) 0306857073

info@palazzani.it

www.palazzani.it



NC 922 A 24






HYBRID²


Diesel

Inverter actuated
Electric motor

Lithium iron
phosphate battery
LiFePO₄



14 m	15 m	8,5 m	L1	L2	W1	W2	W3
230 kg	120 kg	230/120 kg	5535 mm	7160 mm	5260 mm	3975 mm	2680 mm



TSJ 35.1/C 35 m 15 m 230 kg 660° 180x70 cm 90°+80° 2,68-5,26 m 23% 36% 1,8 km/h 7235 kg 47 kN 2,49 kN/m² 5,15 kN/m²

Available power options:
BI-ENERGY (DIESEL+AC)
ECO (AC+BATTERY)

The technical data may deviate +/- 3% from the specified values.
 Characteristics and technical data are informative only and subjected to change without notice.

Palazzani Industrie S.p.A.
 Via del Pavione, 4 - 25050 - Paderno F.C. (BS) - Italy
 Tel. (+39) 0306857073
 info@palazzani.it
 www.palazzani.it

